



Surface Finishes are manufactured by Autex Industries Ltd and Autex Australia Pty Ltd under ISO 9001 and ISO 14001 certified Quality and Environmental Management Systems. The product is guaranteed to be free from manufacturing defects and carries a Manufacturer's Guarantee for a period of no less than ten years to meet all of the performance properties stated within this guarantee.

**Products**

- Custom / Bespoke Print
- Artist Collections
- Solid Colour
- Patterns, Stones and Textures

**Applications**

Surface Finishes can be applied to all Autex products manufactured from Cube 12mm/24mm or Quietspace 25mm panel.

**Product specifications**

**Suitable applications**

Surface Finishes are best suited for non-contact areas. When used in contact areas, Autex Acoustics recommends that all Surface Finishes are specified to include our optional Clear Coating.

**Acoustic performance**

Surface Finishes have been tested and found to have no impact on the acoustic performance of Autex Acoustics products. Please contact your account manager for further information if required.

**Pinnable**

Printed Cube is pinnable. However, please be aware that the surface is not self-healing, and the backing panel colour may be visible when pinning.

**Impact resistance**

Surface Finishes may show surface damage when subjected to impacts. We would advise against using Surface Finishes in areas where there is likely to be contact with the product.

**ISO 9705: 1993**

Classification: Group 1-S  
Smoke production rate:  
<5.0m<sup>2</sup>/s

As required by NZBC C/VM2

**AS ISO 9705 - 2003**

Classification: Group 1  
(SMOGR<sub>Arc</sub>): <100m<sup>2</sup>/s<sup>2</sup>  
Assessed using methodology AS ISO 9705:2003 in accordance with AS 56371:2015. FAR 4055

**BS EN 13501-1:2018**

Wall applications  
Classification: B-s<sub>2</sub>,d<sub>0</sub>  
(Cube™ 12 mm)  
Tested using BS EN ISO 11925-2:2020 and BS EN 13823:2020 and classified in accordance with BS EN 13501-1:2018, as required by BS EN 15102:2007 A1:2011. EUI-20-000268-A

Ceiling applications

Classification: B-s<sub>2</sub>,d<sub>0</sub>  
(Cube™ 12 mm)  
Tested using BS EN ISO 11925-2:2020 and BS EN 13823:2020 and classified in accordance with BS EN 13501-1:2018, as required by BS EN 13964:2014. EUI-20-000268-B

**ASTM E-84-15a**

(1/2" Cube)  
Class A, FS:0 - SD:45  
RJ4479

**ASTM E-84-14:**

(1" Quietspace Panel)  
Class A FS:0 - SD:10  
Report RJ3297

**VOC emissions**

Surface Finishes has been tested for chemical emissions in accordance with ASTM D5116 and is considered a low VOC and low formaldehyde emissions product.  
VOC emissions: 0.019 mg/m<sup>3</sup>  
Formaldehyde emissions:  
<0.005 mg/m<sup>3</sup>

**Colour fastness to light**

Surface Finishes are suitable for indoor use only. Light fastness is dependent on use and exposure. Surface Finishes has been evaluated to the following standard:  
ISO 105-B02:2014  
Rating: 6 (Highest = 7)

**Light Refelctance Value (LRV) solid colours**

Light reflectance values are available for surface finishes, please contact your account manager to discuss further.

**Fabric care**

Avoid contact with the printed surface. Do not clean the surface with any liquid, including water. Consult a specialist cleaning company for cleaning if required.

**Finish**

The acoustic product colour may vary from samples and between each product batch. This is due to the inherent nature of the textile.

**Blemishes**

Due to the nature of the raw material and the manufacturing process, flecks and other small surface blemishes may be visible on the surface of Autex Acoustics panels from time to time. This is an inherent characteristic of the textile products and is unavoidable.



---

## Service

For further information about Surface Finishes or any other Autex Acoustics product, please contact your account manager or visit our website. The information contained in this document is correct to the best of our knowledge at the date of its publication. It is the user's responsibility to determine if this information is suitable for their intended application and to make sure that this document is the most current publication. You can do this by checking our website or contacting your account manager.

---

## Care and maintenance

Maintain in accordance with the Care and Maintenance Guide available for this product.

---

### ● New Zealand

702-718 Rosebank Road,  
Private Bag 19988  
Avondale 1746, Auckland  
T 0800 428 839  
T +64 9 828 9179  
[www.autexacoustics.co.nz](http://www.autexacoustics.co.nz)

### ● Australia

285 Swan Street,  
Richmond, VIC 3121  
T 1800 678 160  
T +61 3 9450 6700  
[www.autexacoustics.com.au](http://www.autexacoustics.com.au)

### ● United Kingdom

Unit J4, Lowfields Way,  
Lowfields Business Park,  
Elland, West Yorkshire  
HX5 9DA  
T +44 0 142 241 8899  
[www.autexacoustics.co.uk](http://www.autexacoustics.co.uk)

### ● United States

1630 Dan Kipper Drive,  
Riverside, CA 92507  
T +1 424 203 1813  
[www.autexacoustics.com](http://www.autexacoustics.com)

Autex is an ISO certified organisation encompassing Quality (ISO 9001), Environmental (ISO 14001), and Health and Safety (ISO 45001). Brand names and logos are registered or unregistered trademarks owned or used under license by Autex Industries Limited or other members of the Autex Group. © Copyright 2023 Autex Industries Ltd. All rights reserved. It is the user's responsibility to determine if the product and information presented in this document is suitable for the intended application by engaging a suitably qualified consultant. The information contained in this document is correct to the best of our knowledge at the date of its publication. To verify that this document is the most current publication please check our website or contact your Autex account manager.